

# Catalogue

---

## 2021.V3



ACCESSORIES AND PROFILES  
FOR PARTITIONS AND CEILINGS



IMAGE	REFERENCE	Drywall System Galvanized Steel Profiles	UN/BOX	QTT/PALLET	
	340.047.099.300.IT	Lining 18*47 3000-5300*0,50 MM - Basic	CE	600 Profiles	
	340.047.018.300.IT	Lining 18*47 3000-5300*0,55 MM - Premium	CE		
	340.047.018.300.NF	Lining 18*47 3000-5300*0,60 MM - Nf	1 NF		
	340.050.018.300.IT	Lining 18*50 3000-5300*0,55 MM - Premium	CE		
	340.060.027.300.IT	Lining 27*60 3000-5300*0,55 MM - Premium	CE		
	350.090.030.300.IT	Rail R90 - 3000*0,50 MM - Premium	CE	152	
	350.090.030.300.NF	Rail R90 - 3000*0,50 MM - Z275 - Nf	NF		
	350.070.028.300.IT	Rail R70 - 3000*0,50 MM - Premium	CE		
	350.070.028.300.NF	Rail R70 - 3000*0,50 MM - Z275 - Nf	2 NF		
	350.048.029.300.IT	Rail R48 - 3000*0,50 MM - Premium	CE		
	350.048.030.300.NF	Rail R48 - 3000*0,50 MM - Z275 - Nf	NF	432	
	350.036.028.300.IT	Rail R36 - 3000*0,50 MM - Premium	CE		
	348.090.099.300.IT	Ladder M90 - 3000*0,50 MM - Basic	CE		180 Profiles
	348.090.035.300.IT	Ladder M90 - 3000*0,55 MM - Premium	CE		
	348.090.035.300.NF	Ladder M90 - 3000*0,60 MM - Nf	NF		
348.070.099.300.IT	Ladder M70 - 3000*0,50 MM - Basic	CE			
348.070.035.300.IT	Ladder M70 - 3000*0,55 MM - Premium	3 CE			
	348.070.035.300.NF	Ladder M70 - 3000*0,60 MM - Nf	NF	360 Profiles	
	348.048.099.300.IT	Ladder M48 - 3000*0,50 MM - Basic	CE		
	348.046.036.300.IT	Ladder M48 - 3000*0,55 MM - Premium	CE		
	348.046.036.300.NF	Ladder M48 - 3000*0,60 MM - Nf	NF		
	348.034.036.300.IT	Ladder M36 - 3000*0,55 MM - Premium	CE		
	344.017.166.300.IT	Omega Stud "Ω" - 3000*40*0,50 MM - Premium	4 CE	10 Profiles	480 Profiles
	342.030.030.300.IT	Angle Trims 30*30*0,50 MM - Premium	CE	25 Profiles	1 300 Profiles
	342.030.030.300.NF	Angle Trims 30*30*0,50 MM - Z275 - Nf	NF		
	342.030.130.300.IT	Angle Trims 30*30*0,50 MM - Premium - 1 FLAP	CE		
	342.030.230.300.IT	Angle Trims 30*30*0,50 MM - Premium - 2 FLAPS	5 CE		
342.040.030.300.IT	Angle Trims 30*40*0,50 MM - Premium	CE			
342.045.025.300.IT	Angle Trims 25*45*0,55 MM - Premium	CE	25 Profiles	1 100 Profiles	
	352.026.020.017.IT	Stringers - 3000 MM	6 CE	10 Profiles	600 Profiles
	346.047.070.300.IT	Suspension Ruler Tc 18*47*3000*0,7 MM "Comb"	7 CE	10 Profiles	300 Profiles
	346.060.070.300.IT	Suspension Ruler Combi Tc 60*47 3000*0,7 MM "Comb"	CE		
	519.020.020.007.DV	Omega Stud "Ω" 20*20*0,7 MM - 6000 MM	8 CE	50 Profiles	-
	519.030.030.007.DV	Omega Stud "Ω" 30*30*0,8 MM - 6000 MM	CE		
519.020.010.008.DV	Omega Stud "Ω" 20*10*0,7 MM - 6000 MM	9 CE			
	330.250.025.600.IT	C Beam 6000*250*2,5 mm	CE		7,183 Kg/ML
	330.200.020.600.IT	C Beam 6000*200*2,0 mm	10 CE		4,961 Kg/ML
	330.150.015.600.IT	C Beam 6000*150*1,5 mm	CE		3,132 Kg/ML

Other Galvanized Profiles					
	355.015.015.300.DV	W Perforated Profile - 3000*15*14 mm	11	50 Profiles	-
	355.015.020.300.DV	W Perforated Profile - 3000*20*14 MM			
	355.521.015.300.DV	Z 521 Perforated Profile - 3000*15*12,5 MM			
	355.522.020.300.DV	Z 522 Perforated Profile - 3000*20*12,5 MM	12		
	355.513.020.300.DV	Z 513 Perforated Profile - 3000*20*9,5 MM			
	357.901.023.300.OM	Alu Angle Profile Smooth And Perforated - 3000*23*12*0,4 MM	13		
	357.568.013.300.DV	U 568 Perforated Profile 3000 MM	14		
	355.514.015.300.DV	Profile 514 - 12,5*15*12,5*25 MM	15		
356.235.023.300.OM	Punched Corner Profile - 3000*25 MM - Alu	16	50 Profiles		

IMAGE	REFERENCE	Lacquered Profiles	UN/BOX	QTT/PALLET	
	373.300.015.014.DV	F Profile (15 MM WING) - PROFILED WHITE (Ba13)		18 Profiles	-
	374.300.001.015.AL	F Profile (15 MM WING) - FOLDED WHITE (Ba13)	17	28 Profiles	-
	374.300.001.020.AL	F Profile (20 MM CORNER) - FOLDED WHITE (Ba13)			
	374.300.001.030.AL	F Profile (30 MM CORNER) - FOLDED WHITE (Ba13)			
	355.015.015.301.DV	0			



IMAGE	REFERENCE	Lacquered Profiles	UN/BOX	QTT/PALLET
	365.300.027.013.NA	F Profile (12,5MM BOARD) - 13*33 MM WHITE 3000MM	20 Profiles	-
	375.001.001.050.DV	Distance Profile - Structure Locking - 600*24*24 MM	50 Profiles	-
	370.300.024.024.IT	W Double White With 3000 MM - 24*13*24*24 MM	20 Profiles	-
	366.300.025.025.NA	L White Profile Click-Premium 25*25*3050 MM	40 Profiles	-
	360.360.038.015.IT	Primary Profile Click-Premium White T-15 3700*38*15 MM	24 Profiles	-
	364.060.038.015.IT	Secondary Profile Click-Premium White T-15 600*27*24 MM	75 Profiles	-
	360.370.038.024.NA	Primary Profile Click-Premium White T-24 3700*38*24 MM	24 Profiles	-
	362.120.032.024.NA	Secondary Profile Click-Premium White T-24 1200*32*24 MM	50 Profiles	-
	362.060.027.024.NA	Secondary Profile Click-Premium White T-24 600*27*24 MM	75 Profiles	-
		<b>Lsf Profiles - Light Steel Framing</b>	S280 GD por Medida - S280 GD 2,65 ou 3 ou 6 ou 12 Mt -	
	330.250.025.600.IT	C Ladder Lsf 250*2,5 MM Z275 - Premium		7,183 Kg/ML
	330.200.020.600.IT	C Ladder Lsf 200*2,0 MM Z275 - Premium		4,961 Kg/ML
	330.150.015.600.IT	C Ladder Lsf 150*1,5 MM Z275 - Premium		3,132 Kg/ML
	330.090.015.600.IT	C Ladder Lsf 90*1,5 MM Z275 - Premium		2,426 Kg/ML
	331.255.025.600.IT	U Rail Lsf 255*2,5 MM Z275 - Premium		6,692 Kg/ML
	331.204.020.600.IT	U Rail Lsf 204*2,0 MM Z275 - Premium		4,553 Kg/ML
	331.153.015.600.IT	U Rail Lsf 153*1,5 MM Z275 - Premium		2,814 Kg/ML
	331.093.015.600.IT	U Rail Lsf 93*1,5 MM Z275 - Premium		2,108 Kg/ML
	332.100.015.150.IT	Structural Band Lsf - 100*1,5 MM Roll (+- 100 MI) - Z275		1,178 Kg/ML
		<b>Accessories For Plasterboard</b>		
	100.300.050.150.IT	Perforated Paper Joint Tape 150 ML Ptfix	10 Profiles	490 Box
	100.300.010.030.IT	Plated Corner Bead Tape 30 ML Ptfix		450 Box
	100.300.090.150.IN	Adhesive Joint Tape 150 ML		144 Box
	100.068.001.005.DV	Brass Anchor M6	100 Profiles	1 800 Box
	100.050.025.015.DV	Anchor Tap-Tip 6X25 MM (BAG)	1 000 Profiles	160 Box
	100.050.025.011.DV	Anchor Tap-Tip 6X25 MM (BOX)	200 Profiles	560 Box
	100.050.026.001.DV	Anchor Tap-Tip 6X37 MM (BOX)	50 Profiles	1 440 Box
	100.050.027.003.DV	Anchor Tap-Tip 6X50 MM (BOX)	100 Profiles	480 Box
	100.050.031.002.DV	Anchor Tap-Tip 6X75 MM (BOX)	50 Profiles	432 Box
	100.010.025.005.IT	Phosphated Screw 3,5X25 MM "Ptfix" - Steel <= 0,6 mm	1 000 Profiles	384 Box
	100.010.035.005.IT	Phosphated Screw 3,5X35MM "Ptfix" - Steel <= 0,6 mm		288 Box
	100.010.045.005.IT	Phosphated Screw 3,5X45MM "Ptfix" - Steel <= 0,6 mm		-
	100.010.055.002.DV	Phosphated Screw 3,5X55MM "Ptfix" - Steel <= 0,6 mm		-
	100.012.070.001.DV	Phosphated Screw 4.2X70MM "Ptfix" - Steel <= 0,6 mm	500 Profiles	-
	100.014.025.001.DV	Phosphated Screw 3,5X25MM (BAND) "Ptfix" - Steel <= 0,6 mm	1 000 Profiles	234 Box
	100.015.025.001.DV	Phosphated Screw 3,5X25MM "Ptfix" - Steel > 0,6 mm		378 Box
100.015.009.001.DV	Screw 3,5X9,5MM "Ptfix" (Metal-Metal) - Steel <= 0,6 mm	768 Box		
100.075.003.030.IT	Square Pivoting Bracket Galvanized Steel For Tc 18X45/47 Ptfix	100 Profiles	324 Box	
100.075.004.030.IT	Diagonal Pivoting Bracket Galvanized Steel For Lining 18X45 Ptfix	100 Profiles	324 Box	
100.075.005.001.IT	Diagonal Pivoting Bracket Galvanized Steel For Lining 18X47 Ptfix			
100.075.010.001.IT	Diagonal Pivoting Bracket Galvanized Steel For Lining 18X50 Ptfix			
100.075.015.005.IT	Square Pivoting Bracket Galvanized Steel For Lining 27X60 Ptfix	50 Profiles		
100.080.001.005.IT	Fish Plate Galvanized Steel For Lining 18X45 Ptfix	50 Profiles	324 Box	
100.080.010.015.IT	Fish Plate Galvanized Steel For Lining 18X47 Ptfix			
100.080.015.001.IT	Fish Plate Galvanized Steel For Lining 18X50 Ptfix			
100.080.030.001.IT	Fish Plate Galvanized Steel For Lining 18X60 Ptfix			
100.090.001.001.IT	Cross Clutch Galvanized Steel For Tc 18X45 Ptfix	50 Un/Box	324 Box	
100.090.003.005.IT	Cross Clutch Galvanized Steel For Tc 18X47 Ptfix			
82.018.050.050.IT	Cross Clutch Galvanized Steel For Tc 18X50 Ptfix			
100.090.001.025.IT	Cross Clutch Galvanized Steel For Tc 60X27 Ptfix	25 Profiles		
83.90.045.100	Bracket 85 For Lining Tc-45 + Tc-47 Ptfix	100 Profiles	450 Box	
83.90.045.100.IT	Bracket 90 For Lining Tc-45 + Tc-47 Ptfix			
83.180.045.100.IT	Bracket 180 For Lining Tc-45 + Tc-47 Ptfix			
83.190.47.100	Bracket 190 For Lining Tc-45 + Tc-47 Ptfix		300 Box	

IMAGE	REFERENCE	Ceiling And Partitions Accessoires	UN/BOX	QTT/PALLET
	83.240.047.50.IT	Bracket With Maintain Part 240 Tc-45 + Tc-47 Ptfix	50 Profiles	240 Box
	83.300.045.50.IT	Bracket With Maintain Part 300 Tc-45 + Tc-47 Ptfix	50 Profiles	200 Box
	83.400.045.50.IT	Bracket With Maintain Part 400 Tc-45 + Tc-47 Ptfix	50 Profiles	160 Box
	83.480.047.025.STD	Bracket With Maintain Part 480 Tc-45 + Tc-47 Ptfix	25 Profiles	240 Box
	83.480.047.50.IT	Very Long Bracket Pre-Cutted 480X47 Ptfix	50 Profiles	
	100.115.001.001.IT	Very Long Bracket Pre-Cutted 960X47 Ptfix	25 Profiles	500 Box
	100.100.002.010.IT	Half Clamp Omega 2 Threads Ptfix	100 Un/Bt	324 Box
	100.130.060.005.IT	Quick Hanger For Thread Rod M6 Ptfix		288 Cx
	100.130.070.005.IT	Set Square For Wood With Thread M6 Ptfix	50 Profiles	288 Box
	100.075.040.002.IT	Acoustic Pivoting 47 (Máx. Load Allowed = 30 Kg)		324 Cx
	100.075.040.020.DV	Acoustic Pivoting 60 (Máx. Load Allowed = 30 Kg)		
	100.150.030.001.IX	Brackets For "U" Profiles - 120*50 MM		-
	100.150.030.010.IX	Brackets For "U" Profiles - 120*60 MM		
	100.040.001.001.DV	Zinc Threaded Rod M6 - 1 Meter	100 Un/Box	60 Box
	100.040.001.002.DV	Zinc Threaded Rod M6 - 2 Meters	50 Un/Box	
	100.032.001.002.DV	Splice/Union For Threaded Rod M6	100 Un/Box	1 536 Box
	100.030.001.002.DV	Hex Nut Solid Steel Zinc Plated - M6	1 000 Un/Box	-
	100.110.050.001.IX	Hourdis Bracket 72 (72X70X58MM)	100 Un/Box	64 Box
	100.000.003.001.IN	Hourdis Bracket 3 In 1 Solution	50 Un/Box	108 Box
	100.400.085.050.IN	Intermediate Support In Polyethylene For Tc 47 85 MM	50 Un/Box	-
100.400.100.050.IN	Intermediate Support In Polyethylene For Tc 47 100 MM			
100.400.120.050.IN	Intermediate Support In Polyethylene For Tc 47 120 MM			
100.400.140.050.IN	Intermediate Support In Polyethylene For Tc 47 140 MM			
100.400.160.050.IN	Intermediate Support In Polyethylene For Tc 47 160 MM			
100.400.180.050.IN	Intermediate Support In Polyethylene For Tc 47 180 MM			
<b>Threaded Rods Clip(S)</b>				
	100.130.110.040.IX	Horizontal Grip 1,5 - 5MM For Threaded Rods M6	100 Un/Box	-
	100.130.110.050.IX	Horizontal Grip 4 - 10MM For Threaded Rods M6		-
	100.130.110.060.IX	Horizontal Grip 10 - 15MM For Threaded Rods M6		
	100.130.110.070.IX	Horizontal Grip 15 - 20MM For Threaded Rods M6		-
	100.130.100.005.IX	Vertical Grip 1,5 - 5MM For Threaded Rod M6		
	100.130.100.010.IX	Vertical Grip 5 - 7MM For Threaded Rod M6		
	100.130.100.015.IX	Vertical Grip 7 - 10MM For Threaded Rod M6		
<b>Various Accessories</b>				
	100.050.061.003.DV	Anchor With Zamak Screw 10*38 Self-Drilling	100 Un/Box	-
	100.065.007.001.DV	Metallic Anchor "Umbrella" M6/38	50 Un/Box	
	100.066.006.063.DV	0	100 Un/Box	
	100.065.007.002.DV	Plain Steel Spring Anchor Without Stud Bolt		
	100.043.030.001.IX	Wire With Angle Eye 250X4mm	100 Un/Box	-
	100.043.030.002.IX	Wire With Angle Eye 500X4mm		
	100.043.030.003.IX	Wire With Angle Eye 750X4mm		
	100.043.040.015.DV	Wire With Angle Eye 1000X4mm		
	100.044.014.001.IX	Wire With Hook 125X Ø 4 MM	100 Un/Box	-
	100.120.100.001.DV	Stainless Steel Double Spring For Wire		
100.130.050.001.DV	Quick Hanger "W"			
110.100.020.020.RS	Alu/Plaster Access Panel Eco Ptfix - 200*200 MM	2 Un/Box	-	
110.100.030.030.RS	Alu/Plaster Access Panel Eco Ptfix - 300*300 MM			
110.100.040.040.RS	Alu/Plaster Access Panel Eco Ptfix - 400*400 MM			
110.100.050.050.RS	Alu/Plaster Access Panel Eco Ptfix - 500*500 MM			
110.100.060.060.RS	Alu/Plaster Access Panel Eco Ptfix - 600*600 MM			
100.300.100.030.IX	Acoustic Tape Mono-Adhesive 50*3 MM (1 SIDED GLUE) - 30 MI			24 Profiles
100.300.120.030.IX	Acoustic Tape Mono-Adhesive 70*3 MM (2 SIDED GLUE) - 30 MI	17 Profiles		
100.300.110.031.IX	Acoustic Tape Bi-Adhesive 50*3 MM (2 SIDED GLUE) - 30 MI	24 Profiles		
100.300.130.030.IX	Acoustic Tape Bi-Adhesive 70*3 MM (2 SIDED GLUE) - 30 MI	17 Profiles		



### LSF - Light Steel Framing





### LSF - Light Steel Framing









Parque Industrial do Casarão  
Av. Das Ferragens Nº 666 Lote 20  
3750-860 Borralha  
Águeda - Portugal

+351 234 244 300

geral@perfilkit.pt

